

## Series 158 Bio-Lastic

### PRODUCT INFO

#### Conforms with:

- LEED v4.1 ID+C, BD+C: Low-Emitting Materials - Paints & Coatings\*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

\*Note: Sections shown are based on LEED v4.1

#### VOC Content

|                                      |   |
|--------------------------------------|---|
| <b>Air District Regulation</b>       | South Coast Air Quality Management District (SCAQMD) Rule 1113  |
| <b>Intended Use Category</b>         | Flat  |
| <b>VOC (g/L, Unthinned)</b>          | 49  |
| <b>Manufacturing Location</b>        | North Kansas City, 64116  |
| <b>Shop or Exterior Applications</b> | Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop. |

#### Materials and Resources (MR) Credits

|  |  |
|--|--|
| <b>MR Credit 2: BPD - Environmental Product Declarations (EPDs)</b>                | Tnemec coatings do not meet credit requirements.   |
| <b>MR Credit 3: BPD - Sourcing Raw Materials</b>                                   | Tnemec coatings do not fully meet credit requirements.                                     |
| <b>MR Credit 4: BPD - Material Ingredients/ Health Product Declarations (HPDs)</b> | At this time, Tnemec does not carry publicly available Health Product Declarations (HPDs). |

#### CDPH Emissions Testing

|                                   |  |
|-----------------------------------|--|
| <b>Test Date</b>                  | January 4, 2024 (Valid Jan. 2024 to Jan. 2025)   |
| <b>MAS Certificate No.</b>        | MAS2300889   |
| <b>CDPH Scenario (Use)</b>        | Classroom / Private Office   |
| <b>CDPH Emissions Test Report</b> | Available upon request or download the <a href="#">MAS Certified Green Certificate</a> |
| <b>Total VOC (TVOC) - 14 Days</b> | >5.0 mg/m3   |
| <b>Reference Standard</b>         | California Dept. of Public Health Standard Method v1.2-2017                            |

For questions concerning this information, please contact:

**Jennifer Gleisberg**  
 Director of Performance Coatings | Tnemec Company, Inc.  
 +1 816-326-4264 [gleisberg@tnemec.com](mailto:gleisberg@tnemec.com)

