

Series N222 Deco-Tread

PRODUCT INFO

Conforms with:

- LEED v4.1 ID+C, BD+C: Low-Emitting Materials - Paints & Coatings*
- Collaborative for High-Performance Schools (CHPS): Paints & Coatings
- WELL Building Standard v2: X06 VOC Restrictions
- Living Building Challenge - Health + Happiness, Imperative #10

*Note: Sections shown are based on LEED v4.1

VOC Content

Air District Regulation	South Coast Air Quality Management District (SCAQMD) Rule 1113
Intended Use Category	Floor
VOC (g/L, Unthinned)	15
Manufacturing Location	North Kansas City, 64116 / Baltimore, MD 21222
Shop or Exterior Applications	Coatings may contain any grams/Liter VOC content if applied to the exterior of the building or applied in shop.

Materials and Resources (MR) Credits

MR Credit 2: BPD - Environmental Product Declarations (EPDs)
Product Specific - Type III

Series N222 Deco-Tread (Part A, B, & C) - [Download EPD](#)
Series N222 Deco-Tread (Part A & B) - [Download EPD](#)

MR Credit 3: BPD - Sourcing Raw Materials

Tnemec coatings do not fully meet credit requirements.

MR Credit 4: BPD - Material Ingredients/Health Product Declarations (HPDs)

At this time, Tnemec does not carry a publicly available Health Product Declaration (HPD) for this coating.

CDPH Emissions Testing

Test Date	November 7, 2024 (Valid Nov. 2024 - Nov. 2025)
MAS Certificate No.	MAS2400671
CDPH Scenario (Use)	Classroom / Private Office
CDPH Emissions Test Report	Available upon request or download the MAS Certified Green Certificate
Total VOC (TVOC) - 14 Days	<0.5 mg/m3
Reference Standard	California Dept. of Public Health Standard Method v1.2-2017

For questions concerning this information, please contact:

Jennifer Gleisberg
Director of Performance Coatings | Tnemec Company, Inc.
+1 816-326-4264 gleisberg@tnemec.com

